

SUPERIOR 1028




Design: 1054, Rapport: approx. w 80 x l 80 cm




Superior 1028, 3P43

Design: 1054




3P42  1  3

Design: 1054



9F34  1  3

Design: 1054




5W22  1  3

Design: 1054



3P43  12  3

Design: 1054




5W23  1  3

Design: 1043



9F38  1

Design: 1043




9F40  1

Design: 1043



9F36  1

Design: 1043



9F37  1


Design: 1043

Design: 1043, Rapport: approx. w 80 x l 80 cm



Superior 1028, 9F36

SUPERIOR 1028



Design: 1034



3P44



Design: 1034



9F28



Design: 1034, Rapport: approx. w 1.5 x l 3 cm



Superior 1028, 9F29


Design: 1034



3P38



Design: 1034



9F29



Design: 1034



3P39



Design: 1034



9F41



Design: 1034



9F27




Design: 1034



5W19




Design: 1034



9F30



Design: 1034



5W25



SUPERIOR 1028



Inspired by nature.
Interpreted by Vorwerk.



Design: 1052



Design: 1052



Design: 1052



8J36



7G11



1M59



Design: 1052



Design: 1052



4G08



9F33



5W21



9F32



3P41



Design: 1052



Design: 1052

9F31



5W20



Design: 1052, Rapport: approx. w 1.5 x l 3 cm



Superior 1028, 3P41

SUPERIOR 1028



Inspired by nature.
Interpreted by Vorwerk.




Design: 1040

5W24




Design: 1040

9F35



Design: 1040

3P45



Design: 1040

9F42



Design: 1040

1M60



Design: 1040, Rapport: approx. w 80 x l 80 cm

Superior 1028, 3P45



Superior 1028, Design 1052 | 3P41

SUPERIOR 1028

TECHNICAL INFORMATION



Broadloom

Construction		1/12" Tufted loop pile, tuft patterned
Pile material		100% PA 6, ECONYL
Formats		approx. 400 cm
Durability rating	EN 1307	extreme 33
Number of tufts	EN 1307	approx. 2444 dm ²
Total thickness	EN 1307	approx. 5.5 mm
Pile weight	EN 1307	approx. 670 g/m ²
Total weight	EN 1307	approx. 1650 g/m ²
Fire rating	DIN EN 13501-1	B _f -s1
Impact noise insulation	DIN EN ISO 10140	≥ 20 dB
Additional properties		



Vorwerk & Co. Teppichwerke
GmbH & Co. KG
Kuhlmannstrasse 11
D - 31785 Hameln

Tuftingartikel mit Polmaterial PA 6
und Textilrücken
EN 1307

DOP: 1062#6+2/508+509



EN 14041:2004/AC:2006

Textile floor covering to be
used within a building



In the course of constant further development and quality improvement, we reserve the right to change technical data without prior notice. Technical data sheets, installation instructions, recommendations for cleaning, care and maintenance and texts for tenders can be found at: www.vorwerk-carpet.com

Technical datas for acoustic carpet tiles on request.



**Vorwerk & Co. Teppichwerke
GmbH & Co. KG**
Kuhlmannstrasse 11
31785 Hameln
Germany

Telephone:

+49 (0) 5151 1030

Telephone sales + sample service:

+49 (0) 5151 103 734

info@vorwerk-teppich.de

www.vorwerk-carpet.com